

**MAIN STREET  
WELLINGTON, ON  
TREE INVENTORY**

**CONTACT:**

ArbreCareTree Service  
P.O. Box 35057  
Kingston, ON K7L 5S5  
613-634-6341  
arbrecare@gmail.com

**LOCATION:**

Part of Lot 8, Concession 1  
Township of Hiller

**LIST OF TREES ON SITE:**

On November 12, 2023, ArbreCare Tree Service completed a tree inventory at Main Street, Wellington, ON.

Apple sp. (*Malus sp.*)  
Black walnut (*Juglans nigra*)  
Norway maple (*Acer platanoides*)  
Manitoba maple (*Acer negundo*)  
Buckthorn (*Rhamnus cathartica*)  
Pear (*Pyrus sp.*)  
Eastern white cedar (*Thuja occidentalis*)

John Saccary. ISA ON-0845A

## **TREE PROTECTION:**

If there are any trees to be retained they need to be protected by a Tree Protection Zone.

Tree Protection Zone (TPZ) is the area around the trees that will have no grading or construction activity occur. The area will be fenced off and there will be no storage of materials of any kind, no parking or moving of vehicles, and no disturbance of the soil or grade. As well there will not be:

No disturbance or alteration of the existing grade of any kind

No addition of fill, excavating or scraping to change the grade

No storage of building materials or equipment

No disposal of contaminants or liquids

No movement of vehicles or equipment

### **Protection Measures**

All supports and bracing will be used to safely secure the barrier should be located outside the TPZ. All supports and bracing will minimize damage to roots.

### **Tree Protection Barriers**

Tree protection barriers shall be installed according to the following guidelines:

A 2.4 metre (8 ft.) high plywood clad hoarding is the most preferred barrier. Other cladding can be considered, subject to approval by the City of Kingston. The barrier can be lowered around branches lower than 2.4 metres (8 ft.). Within a City road allowance, where visibility is a consideration, 1.2 metre (4 ft.) high orange plastic web snow fencing on a 2" x 4" frame should be used.

All supports and bracing used to safely secure the barrier should be located outside the TPZ. All supports and bracing should minimize damage to roots.

Where some fill must be temporarily located near the TPZ, a plywood barrier must be used to ensure no material enters the TPZ.

If there is any digging within this Tree Protection Zone an arborist will be on site to supervise.

Pruning: If limbs need to be removed to accommodate construction work, they will be removed carefully in accordance with accepted arboricultural practices.

Root pruning: Where the root system of any tree is exposed directly adjacent to or are damaged by construction work, they will be trimmed neatly, and the area backfilled with appropriate material to prevent desecration.

Trunk barrier: There will be no trunk barrier because of the property line fence and the plywood cribbing will be in place.

Tree protection signage: A sign with the following will be mounted on the Tree Protection Barrier:

*Tree Protection Zone (TPZ)*

*No grade change, storage of materials, vehicles or equipment is permitted within this TPZ. This tree protection barrier must not be removed without the written authorization of the City of Kingston Planning & Development.*

*For information, call the Planning & Development Department at 613-546-4291, ext 3180.*